


LussoPittura



Sprayed micro topping solution for inside or outside applications



Colored Micro Thin Cementitious Coating

■ Features

LussoPittura is a polymer modified micro thin cementitious coating with a thickness of only 1 mm.

LussoPittura provides a decorative coating with great mechanical characteristics.

LussoPittura gives a rich and mineral look.

LussoPittura is available in more than 60 colors.

■ Benefits

- No shrinkage - High abrasion resistance
- Excellent bonding properties
- Modern, Highly appreciated by architects
- High traffic (pedestrian and vehicles)
- Fast application

■ Performances

Compared to paint, **LussoPittura** will provide:

- Enhanced abrasion resistance
- High level of adhesion to the substrate
- Improved crack and peel resistance
- Mineral aspect

■ Areas of Application

LussoPittura is recommended in renovation over stamped concrete, broomed or floated concrete but can also be used on new construction.

LussoPittura is applicable on horizontal and vertical surfaces.

1. Old concrete renovation
2. New construction
3. Exterior and interior
4. Stamped concrete renovation
5. Broomed concrete
6. Floated concrete
7. Cast in place vertical concrete

Lusso Pittura



Sprayed micro topping solution for inside or outside applications

■ Description

Characteristics:

LussoPittura system is composed of a direct finishing coat and sealer:

1. Clean and repair cracks if needed. We suggest to use GreenDecap 200 for that purpose
2. Finishing coat: mix of with Lusso Binder, LussoPittura Powder and Lusso Pigment
3. Sealer: Lusso Color Protector

Packaging:

Product	Packaging	Dosage per m ²
Lusso Binder	20 L	400 g/m ²
LussoPittura Powder	20 kg	400 g/m ²
Lusso Pigments	250 g / 500 g / 10 kg (see color chart)	20 to 100 g/m ² depending on colors
GreenDecap 200	6 L / 16.8 L	200 ml/m ²
Lusso Color Protector	10 L	50 ml/m ²

■ Directions for use

Substrate

- New substrate: Concrete slabs (> 28 days) – Adhesive inserted or integrated screed or floating mortar screed – Dry screed – Liquid screed – Grout Floating radiating or water-heated or reversible cool-water flooring.
- Concrete flooring.
- Old substrate: old concrete.
- Other substrate: wood (MDF, marine chipboard)
- Other particular substrate: upon query.

Application

•Application should be done according to READYMIX QATAR recommendation and may require training or support to the application team.

Because local job conditions vary, please contact your local READYMIX QATAR sales representative for further assistance



Precaution:

- The application of **LussoPittura** requires tools and the proper training to achieve the best result. Please contact your local READYMIX QATAR representative for tools and training.
- Application timing may vary depending on the local conditions, especially temperature and humidity.
- Please refer to each product TDS for storage conditions and use precaution. Store all products in dry and limited sun exposure.

■ Safety

Please refer to each material safety data sheets for information prior to use.

Developed in partnership with



Lasso Pittura



Color Chart

GREY SHADES

Volcan intense	Volcan medium	Volcan light
Noir de vigne intense	Noir de vigne medium	Noir de vigne light
Acier intense	Acier medium	Acier light
Loft intense	Loft medium	Loft light
Galet intense	Galet medium	Galet light

BEIGE & BROWN SHADES

Noisette intense	Noisette medium	Noisette light
Taupe intense	Taupe medium	Taupe light
Café crème intense	Café crème medium	Café crème light
Chypre intense	Chypre medium	Chypre light
Coton intense	Coton light	

Caution

This chart is only a representation and does not guarantee an exact color. Colors can be significantly altered by the jobsite conditions and the tool used.

COLD SHADES

		
Lavande intense	Lavande medium	Lavande light
		
Bermudes intense	Bermudes medium	Bermudes light
		
Océan intense	Océan medium	Océan light
		
Wimbeldon intense	Wimbeldon medium	Wimbeldon light

WARM SHADES

		
Cape Town intense	Cape Town medium	Cape Town light
		
Chabby intense	Chabby medium	Chabby light
		
Violette intense	Violette medium	Violette light
		
Bordeaux intense	Bordeaux medium	Santorin intense
		
Santorin medium		

CREAMY SHADES

		
Vanille intense	Vanille medium	Vanille light
		
Dune intense	Dune medium	Dune light

TONIC SHADES

		
Violet pop intense	Rosso intense	Vert transat intense
		
Violet pop light	Rosso light	Vert transat light
		
Soleil intense	Cassis intense	Rose bonbon intense
		
Soleil light	Cassis light	Rose bonbon light
		
Pumpkin intense	Pumpkin light	

Caution

This chart is only a representation and does not guarantee an exact color. Colors can be significantly altered by the jobsite conditions and the tool used.

LussoPittura



Sprayed micro topping solution for inside or outside applications


■ LussoPittura application examples



Surface renovation



Wall



Logos and images

■ LussoPittura jobsite example – stamped concrete renovation



Before LussoPittura
30 years old stamped concrete



After LussoPittura

READYMIX QATAR LLC

Bldg No 385, Zone 32 St No 380, Al Makhiya St Madinat Khalifa
North, Doha, PO Box 5007

Tel: (+974) 44341796 / (+97) 44241798

rmq.sales@lafargeholcim.com – www.readymixqatar.com.qa

The information contained in this document is given to the best of our knowledge and is the result of extensive and controlled testing. However, it cannot under any circumstances be considered as a warranty involving our liability in the case of misuse. Tests should be conducted before the product is used to ensure that the methods and conditions of use of the product are satisfactory. Our specialists remain at the disposal of customers if they require help with the application of the product for their specific needs.